EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	GET ADJ INKEY	US-PGPUB; USPAT	AND	ON	2007/09/21 07:59
L2	17	((subscriber adj (identity or identifier) adj module) or (sim)) (minimum ADJ duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 08:02
L4	100227	SIM APPLICATION	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 08:08
L5	381	SIM ADJ APPLICATION	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 08:09
L6	225	(SIM ADJ APPLICATION) @AD<"20030721"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 08:09
L7	195	(SIM ADJ APPLICATION) @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 08:09
L8	96	(SIM ADJ APPLICATION) @AD<"20030721" TEXT	US-PGPUB; USPAT	AND	ON	2007/09/21 08:09
L9	85	(SIM ADJ APPLICATION) @AD<"20030721" TEXT DISPLAY$3	US-PGPUB; USPAT	AND	ON	2007/09/21 08:10
L10	24	(SIM ADJ APPLICATION) @AD<"20030721" TEXT DISPLAY$3 CLEAR	US-PGPUB; USPAT	AND	ON	2007/09/21 08:13
L11	38	(SIM ADJ APPLICATION) @AD<"20030721" TEXT NOTIFICATION	US-PGPUB; USPAT	AND	ON	2007/09/21 08:13
L13	3	(SIM ADJ APPLICATION) @AD<"20030721" TEXT WITH NOTIFICATION	US-PGPUB; USPAT	AND	ON	2007/09/21 08:41
L17	276	sim @AD<"20030721" (DISPLAY adj TEXT)	US-PGPUB; USPAT	AND	ON	2007/09/21 08:42
L18	52	(SIM with APPLICATION) @AD<"20030721" (DISPLAY adj TEXT)	US-PGPUB; USPAT	AND	ON	2007/09/21 08:44

EAST Search History

L19	21	(proactive with sim) @AD<"20030721" (DISPLAY adj TEXT)	US-PGPUB; USPAT	AND	ON	2007/09/21 08:45
L21	53	(sim) @AD<"20030721" (DISPLAY adj TEXT) (user with clear)	US-PGPUB; USPAT	AND	ON	2007/09/21 08:51
L24	1	(sim with application) @AD<"20030721" (DISPLAY TEXT).ti, ab.	US-PGPUB; USPAT	AND	ON	2007/09/21 08:55
L25	157	(sim with application) @AD<"20030721" ((displayed or tim$3) with text)	US-PGPUB; USPAT	AND	ON	2007/09/21 08:56
L26	115	(sim with application) @AD<"20030721" ((displayed or tim$3) with text) phone	US-PGPUB; USPAT	AND	ON	2007/09/21 08:58
L27	1	(sim with application) @AD<"20030721" (display$3 with duration) phone	US-PGPUB; USPAT	AND	ON	2007/09/21 08:59
L30	2	(sim with application) @AD<"20030721" (display$3 with period) phone	US-PGPUB; USPAT	AND	ON	2007/09/21 09:00
L31	13	(sim with application) @AD<"20030721" (display$3 with until) phone	US-PGPUB; USPAT	AND	ON	2007/09/21 09:02
L38	1094	(((subscriber adj (identity or identifier) adj module) or (sim)) with application)@AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 09:05
L39	1094	(((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 09:05
L41	19	(((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721" (clear$3 with text)	US-PGPUB; USPAT	AND	ON	2007/09/21 09:07
L42	2	(((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721" (display$3 with timer)	US-PGPUB; USPAT	AND	ON	2007/09/21 09:22
L43	9	(((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721" (timer same text)	US-PGPUB; USPAT	AND	ON	2007/09/21 09:24
L44	48	(((subscriber adj (identity or identifier) adj module) or (sim)) with application) @AD<"20030721" (timer same expir$3)	US-PGPUB; USPAT	AND	ON	2007/09/21 09:27
L46	15	(((usim)) with application) @AD<"20030721" (timer)	US-PGPUB; USPAT	AND	ON	2007/09/21 09:30

L47	0	PROACTIVE with UICC @AD<"20030721" (timer)	US-PGPUB; USPAT	AND	ON	2007/09/21 09:30
L48	1	PROACTIVE with UICC @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 09:44
L49	132	PROACTIVE sim @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 09:47
L50	63	(SIM adj toolkit) display text @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 10:00
L51	21	(SIM adj toolkit) display adj text @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 09:49
L52	115	(SIM adj (toolkit or application)) display text @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 10:01
L53	35	(SIM adj (toolkit or application)) display adj text @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 10:11
L54	10	("5404580" | "5630159" | "5633484" | "5999827").PN. OR ("6178324"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/21 10:10
L55	38	($1SIM adj (toolkit or application or module)) display adj text @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 10:12
L56	1	($1SIM adj (toolkit or application or module)) display adj text @AD<"20030721" (user with clear)	US-PGPUB; USPAT	AND	ON	2007/09/21 10:16
L57	1	($1SIM adj (toolkit or application or module)) display adj text @AD<"20030721" (cleared)	US-PGPUB; USPAT	AND	ON	2007/09/21 10:16
S1	8	US-20040012615-A1.did. OR US-20040049533-A1.did. OR US-20040049419-A1.did. OR US-20040080538-A1.did. OR US-20040192386-A1.did. OR US-20040192281-A1.did. OR US-20040253975-A1.did. OR US-20060107227-A1.did.	US-PGPUB; USPAT	AND	ON	2007/08/13 11:57
S2	2	S1 (timed)	US-PGPUB; USPAT	AND	ON	2007/05/25 15:33
S3	0	S1 timed text display ((subscriber adj identity adj module) OR (sim)) application specifying duration displayed prior permitting clear setting value data object command displaying receiving specified elapsed executing parameter disregarding following letters numbers words icons images pictures readable medium executed perform apparatus memory configured store specify presenting	US-PGPUB; USPAT	AND	ON	2007/05/25 15:34

EAST Search History

S4	0	S1 ((subscriber adj identity adj module) OR (sim)) (text with duration) display$3 tim$3	US-PGPUB; USPAT	AND	ON	2007/05/25 15:35
S5	0	S1 ((subscriber adj identity adj module) OR (sim)) (text with (duration with tim$3)) display$3	US-PGPUB; USPAT	AND	ON	2007/05/25 15:35
S6	0	S1 ((subscriber adj identity adj module) OR (sim)) (text with (duration or tim$3)) display$3	US-PGPUB; USPAT	AND	ON	2007/05/25 15:35
S7	280	((subscriber adj identity adj module) OR (sim)) ((text with (duration or tim$3)) same display$3)	US-PGPUB; USPAT	AND	ON	2007/05/25 15:36
S8	57	((subscriber adj identity adj module) or (sim adj module)) ((text with (duration or tim$3)) same display$3)	US-PGPUB; USPAT	AND	ON	2007/05/25 15:37
S9	19	((subscriber adj identity adj module) or (sim adj module)) ((text with (duration or tim$3)) same display$3) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 15:39
S10	16	((subscriber adj identity adj module) or (sim adj module)) ((text with (duration or tim$3)) same display$3) @ad<"20030721" (message)	US-PGPUB; USPAT	AND	ON	2007/05/25 15:39
S11	7	((subscriber adj identity adj module) or (sim adj module)) ((text with (duration or tim$3)) same display$3) @ad<"20030721" (message)	US-PGPUB	AND	ON	2007/05/25 15:40
S12	60	((subscriber adj identity adj module) or (sim adj module)) (((message or text)with (duration or tim$3)) same display$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:40
S13	29	((subscriber adj identity adj module) or (sim adj module)) (((message or text) near3 (duration or tim$3)) same display$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:40
S14	10	((subscriber adj identity adj module) or (sim adj module)) (((message or text) near3 (duration or tim$3)) with display$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:41
S15	0	((subscriber adj identity adj module) or (sim adj module)) (((message or text) near3 (duration)) with display$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:41
S16	0	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)) with display$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:41

EAST Search History

S17	1	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)) same display$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:42
S18	16	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)))(display$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:47
S19	0	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration))) with clear$3 (display$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:48
S20	1	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)) same clear$3) (display$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/09/21 09:04
S21	2	((subscriber adj identity adj module) or (sim)) (((message or text) with (duration)) same clear$3) (display$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:51
S22	57	((subscriber adj identity adj module) or (sim)) ((message or text) with (duration)) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:55
S23	0	((subscriber adj identity adj module) or (sim)) ((message or text) with (duration)) ((DISPLAY adj TEXT) with command) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:54
S24	0	((subscriber adj identity adj module) or (sim)) ((message or text) same (duration)) ((DISPLAY adj TEXT) with command) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:55
S25	1	((subscriber adj identity adj module) or (sim)) ((message or text) same (duration)) ((DISPLAY adj TEXT) with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 15:56
S26	9	((subscriber adj identity adj module) or (sim)) ((message or text) same (duration)) (DISPLAY adj TEXT) (command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 15:57
S27	9	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text) same (duration)) (DISPLAY adj TEXT) (command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/08/13 12:14
S28	2	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text) same (duration)) (DISPLAY adj TEXT) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 08:00

EAST Search History

S29	2	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text)) (duration with display) (DISPLAY adj TEXT) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 15:58
S30	2	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text)) (duration with display$3) (DISPLAY adj TEXT) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:04
S31	0	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text)) (duration with display$3) ((DISPLAY adj TEXT) adj command) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:04
S32	1	((subscriber adj (identity or identifier) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 21:35
S33	2	(duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:05
S34	2	(user duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:08
S35	2	(user duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:08
S36	6	((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:10
S37	4458	((DISPLAY adj TEXT) command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:10
S38	13	((DISPLAY adj TEXT) command) GSM (GET adj INPUT) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:11
S39	13	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:11
S40	13	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display$3 @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:13
S41	13	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display$3 @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:14
S42	13	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display$3 (text or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:14
S43	0	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display$3 duriation @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:14

S44	8	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display$3 duration @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:15
S45	0	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display$3 (duration same display$3) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:15
S46	8	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display$3 duration @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:16
S47	12	(DISPLAY adj TEXT) command GSM display$3 with duration @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:16
S48	12	(DISPLAY adj TEXT) command GSM (display$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S49	0	((DISPLAY adj TEXT) same2 command) GSM (display$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S50	0	((DISPLAY adj TEXT) same2 command) SIM (display$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S51	0	((DISPLAY adj TEXT) same2 command) (SIM with application) (display$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S52	0	((DISPLAY adj TEXT) same command) (SIM with application) (display$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S53	0	((DISPLAY adj TEXT) same command) (SIM with application) (display$3 same duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S54	0	((DISPLAY adj TEXT) command) (SIM with application) (display$3 same duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S55	5	((DISPLAY adj TEXT) command) (SIM with application) (display$3 duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:19
S56	2	((DISPLAY adj TEXT) with command) (SIM with application) (display$3 duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:20
S57	0	((DISPLAY adj TEXT) with command) (SIM with application) (display$3 duration) "Phase 2" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:20

S58	2	((DISPLAY adj TEXT) with command) (SIM with application) (display$3 duration) "Phase 2+" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:21
S59	7	((DISPLAY adj TEXT) command) (SIM with application) (display$3) "Phase 2+" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:21
S60	7	((DISPLAY adj TEXT) command) (SIM with application) (display$3) "Phase 2+" "text" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:22
S61	7	((DISPLAY adj TEXT) command) (SIM with application) (display$3) "Phase 2+" ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:22
S62	3	((DISPLAY adj TEXT) command) (SIM with application) (display$3).ab. (display$3) "Phase 2+" ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:51
S63	0	((DISPLAY adj TEXT) command) (SIM with application) modal (display$3). ab. (display$3) "Phase 2+" ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:53
S64	0	((DISPLAY adj TEXT) command) (SIM with application) modal (display$3) "Phase 2+" ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:53
S65	0	((DISPLAY adj TEXT) command) (SIM with application) modal (display$3) ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:53
S66	37	((DISPLAY adj TEXT) command) (SIM with application) (display$3) ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:53
S67	9	((DISPLAY adj TEXT) command) (SIM with application) (display$3) ("text" or message) clear @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:54
S68	82	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (display$3) ("text" or message) clear @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:55
S69	6	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (display$3) ("text" or message) clear modal @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:56

S70	0	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (display$3) ("text" or message) (clear adj text) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 17:06
S71	2	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (duration with text) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 17:06
S72	0	((DISPLAY adj TEXT) OR displaytext) (command) ((subscriber adj identity adj module) or (sim)) (duration with text) (SELECT adj ITEM) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 17:07
S73	0	((DISPLAY adj TEXT) OR displaytext) (command) ((subscriber adj identity adj module) or (sim)) (duration with text) (SELECT adj ITEM) (GET adj INPUT) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 17:07
S74	9	((DISPLAY adj TEXT) OR displaytext) (command) ((subscriber adj identity adj module) or (sim)) (SELECT adj ITEM) (GET adj INPUT) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 17:08
S75	1	((subscriber adj (ident$6 or identifier) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 21:35
S76	1	((subscriber adj (ident$6) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 21:35
S77	1	((subscrib$6 adj (ident$6) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 21:35
S78	1	((subscrib$6 adj (ident$6) adj module) or (SIM.u/c.)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 22:00
S79	5	(usim near application) "display text"	US-PGPUB; USPAT	AND	ON	2007/08/13 11:58
S80	5	((PROACTIVE adj UICC)or (UICC adj commands)or (usim near application)) (display adj text)	US-PGPUB; USPAT	AND	ON	2007/08/13 12:03
S81	5	((PROACTIVE adj UICC)or (UICC adj command)or (UICC adj commands)or (usim near application)) (display adj text)	US-PGPUB; USPAT	AND	ON	2007/08/13 12:06

S82	41	((PROACTIVE adj UICC) or (UICC adj command)or (UICC adj commands)or (usim near application) or (SIM adj Application adj Toolkit)) (display adj text)	US-PGPUB; USPAT	AND	ON	2007/08/13 12:07
S83	4	((PROACTIVE adj UICC) or (UICC adj command)or (UICC adj commands)or (usim near·application) or (SIM adj Application adj Toolkit)) (display adj text) duration	US-PGPUB; USPAT	AND	ON	2007/08/13 12:09
S84	0	((PROACTIVE adj UICC) or (UICC adj command)or (UICC adj commands)or (usim near application) or (SIM adj Application adj Toolkit)) (display adj text) (display with duration)	US-PGPUB; USPAT	AND	ON	2007/08/13 12:09
S85	472	(display adj text) (display with duration)	US-PGPUB; USPAT	AND	ON	2007/08/13 12:09
S86	0	(display adj text) (display with duration) ((PROACTIVE adj UICC) or (UICC adj command)or (UICC adj commands)or (usim near application) or (SIM adj Application))	US-PGPUB; USPAT	AND	ON	2007/08/13 12:10
S87	0	(display adj text) (display with duration) ((PROACTIVE adj UICC) or (UICC adj command)or (UICC adj commands)or (usim near application) or (SIM adj module))	US-PGPUB; USPAT	AND	ON	2007/08/13 12:10
S88	3	(display adj text) (display with (duration or timer or counter)) ((PROACTIVE adj UICC) or (UICC adj command)or (UICC adj commands)or (usim near application) or (SIM adj module))	US-PGPUB; USPAT	AND	ON	2007/08/13 12:12
S89	0	(display adj text) (display with (duration or timer or counter)) ((PROACTIVE adj UICC) or (UICC adj command)or (UICC adj commands)or (usim near application) or (SIM adj module)) modal	US-PGPUB; USPAT	AND	ON	2007/08/13 12:12
S90	273	((subscriber adj (identity or identifier) adj module) or (sim)) (DISPLAY adj TEXT) @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/08/13 12:16
S91	266	((subscriber adj (identity or identifier) adj module) or (sim)) (DISPLAY adj TEXT) (Duration or period or continuance or continuation or contin$5 or period or fixed or persist$5 or time or timed) @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/08/13 12:18

S92	130	((subscriber adj (identity or identifier) adj module) or (sim)) (DISPLAY adj TEXT) (display with (Duration or period or continuance or continuation or contin$5 or period or fixed or persist$5 or time or timed)) @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/08/13 12:19
S93	118	((subscriber adj (identity or identifier) adj module) or (sim)) (DISPLAY adj TEXT) (displa$3 near5 (Duration or period or continuance or continuation or contin$5 or period or fixed or persist$5 or time or timed)) @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/09/21 09:04
S94	53	((subscriber adj (identity or identifier) adj module) or (sim)) (DISPLAY adj TEXT) (user with clear) @AD<"20030721"	US-PGPUB; USPAT	AND	ON	2007/08/13 12:20

Individually downloadable publications, free-of-charge

Search Results
Found 128 items...
Displaying items 51 to 100.
New Search

ETSI GTS 11.11 V3.16.0 (1995-01)

Reference:DGTS/SMG-011111   Source:SMG1   ⓘ Latest document information   ✪ Download

4078014 bytes (132 Pages)   Former price code: Q

Title: European digital cellular telecommunications system (Phase 1);Specification of the SIM-ME Interface (GSM 11.11)

ETSI I-ETS 300 071 ed.1 (1993-11)

Reference:GSM 03.46   Source:SMG   ⓘ Latest document information   ✪ Download

4197 bytes (61 Pages)   Former price code: K

Title: European digital cellular telecommunications system (Phase 1);Technical realisation of facsimile group 3 non-transparent (GSM 03.46)

ETSI I-ETS 300 070 ed.1 (1993-11)

Reference:GSM 03.45   Source:SMG   ⓘ Latest document information   ✪ Download

4171 bytes (40 Pages)   Former price code: G

Title: European digital cellular telecommunications system (Phase 1);Technical realization of facsimile group 3 transparent (GSM 03.45)

ETSI I-ETS 300 045 ed.1 (1992-05)

Reference:GSM 11.11   Source:SMG1   ⓘ Latest document information   ✪ Download

5162 bytes (135 Pages)   Former price code: Q

Title: European digital cellular telecommunications system (Phase 1);Subscriber Identity Module - Mobile Equipment (SIM-ME) interface specification (GSM 11.11)

ETSI I-ETS 300 045-1 ed.3 (1995-09)

Reference:RI/SMG-011111R3   Source:SMG1   ⓘ Latest document information   ✪ Download

5194 bytes (137 Pages)   Former price code: Q

Title: European digital cellular telecommunications system (Phase 1);Subscriber Identity Module - Mobile Equipment (SIM-ME) interface specification;Part 1: Generic (GSM 11.11)

ETSI I-ETS 300 045-1 ed.2 (1994-02)

Reference:RI/SMG-011111R   Source:SMG1   ⓘ Latest document information   ✪ Download

5224 bytes (136 Pages)   Former price code: Q

Title: European digital cellular telecommunications system (Phase 1);Subscriber Identity Module - Mobile Equipment (SIM-ME) interface specification;Part 1: Generic (GSM 11.11)

ETSI I-ETS 300 045-1/A1 ed.2 (1994-07)

Reference:RI/SMG-011111R2   Source:SMG1   ⓘ Latest document information   ✪ Download

5216 bytes (4 Pages)   Former price code: A

Title: European digital cellular telecommunications system (Phase 1);Subscriber Identity Module - Mobile Equipment (SIM-ME) interface specification;Part 1: Generic (GSM 11.11)

ETSI I-ETS 300 045-2 ed.1 (1994-02)

Reference:GSM 11.11-DCS   Source:SMG   ⓘ Latest document information   ✪ Download

4172 bytes (17 Pages)   Former price code: C

Title: European digital cellular telecommunications system (Phase 1);Subscriber Identity Module - Mobile Equipment (SIM-ME) interface specification;Part 2: DCS extension (GSM 11.11-DCS)

ETSI I-ETS 300 020-2 ed.1 (1992-05)

Reference:GSM 11.40   Source:SMG   ⓘ Latest document information   ✪ Download

2021337 bytes (51 Pages)   Former price code: J

Title: European digital cellular telecommunications system (Phase 1);Mobile station conformance test system;System simulator specification (GSM 11.40) (Candidate NET 10, Part 2)

ETSI TS 131 111 V5.0.0 (2002-03)

Reference:RTS/TSGT-0331111Uv5   Source:3GPPT   ⓘ Latest document information   ✪ Download

984322 bytes (163 Pages)   Former price code: P

Title: Digital cellular telecommunications system (Phase 2+) (GSM);Universal Mobile Telecommunications System (UMTS);USIM Application Toolkit (USAT) (3GPP TS 31.111 version 5.0.0 Release 5)

ETSI TS 131 111 V4.6.0 (2002-03)

Reference:RTS/TSGT-0331111Uv4R4   Source:3GPPT   ⓘ Latest document information   ✪ Download

960712 bytes (159 Pages)   Former price code: P

Title: Digital cellular telecommunications system (Phase 2+) (GSM);Universal Mobile Telecommunications System (UMTS);USIM Application Toolkit (USAT) (3GPP TS 31.111 version 4.6.0 Release 4)

ETSI TS 131 111 V4.5.0 (2001-12)

Reference:RTS/TSGT-0331111Uv4R3   Source:3GPPT   ⓘ Latest document information   ✪ Download

964402 bytes (159 Pages)   Former price code: P

Title: Digital cellular telecommunications system (Phase 2+) (GSM);Universal Mobile Telecommunications System (UMTS);USIM Application Toolkit (USAT) (3GPP TS 31.111 version 4.5.0 Release 4)

ETSI TS 131 111 V4.4.0 (2001-09)

Reference:RTS/TSGT-0331111Uv4R2   Source:3GPPT   ⓘ Latest document information   ✪ Download

962374 bytes (159 Pages)   Former price code: P